

適合表

新神戸

EnerSys

型式	容量 5時間率	外形寸法(mm)			重量 (kg)	型式	容量 5時間率	外形寸法(mm)			重量 (kg)
		長さ	幅	総高さ				長さ	幅	総高さ	
		L	W	H				L	W	H	
VSB4	160	90	158	352	11.4	5PzB160	160	93	157.5	292	11.3
						4PzB168	168	77	157.5	358	11.9
VSB4Z	195	90	158	352	12.7	6PzB192	192	109	157.5	292	13.2
						5PzB210	210	93	157.5	358	14.5
VSB5	200	109	158	352	13.8	6PzB192	192	109	157.5	292	13.2
						5PzB210	210	93	157.5	358	14.5
VSB6	240	128	158	352	16.2	7PzB224	224	125	157.5	292	15.2
						6PzB252	252	109	157.5	358	17.1
VSB7	280	148	158	352	18.7	7PzB294	294	125	157.5	358	19.7
VSB8	320	167	158	353	21.1	8PzB336	336	141	157.5	358	22.2
VSB400MZ	400	177	158	352	24.4	7PzB385	440	141	157.5	428	27.2
						8PzB440	440	141	157.5	428	27.2

VSC3M	129	58	158	382	8.8	3PzB126	126	61	157.5	358	9.4
VSC4	172	90	158	382	12.0	4PzB168	168	77	157.5	358	11.9
						5PzB210	210	93	157.5	358	14.5
VSC5	215	109	158	382	14.5	5PzB210	210	93	157.5	358	14.5
						6PzB252	252	109	157.5	358	17.1
VSC6	258	128	158	382	17.0	6PzB252	252	109	157.5	358	17.1
						7PzB294	294	125	157.5	358	19.7
VSC7	301	148	158	382	19.6	7PzB294	294	125	157.5	358	19.7
						8PzB336	336	141	157.5	358	22.2
VSC344	344	148	158	382	20.9	3PzB336	336	141	157.5	358	22.2
						7PzB385	385	125	157.5	428	24.0

VSDH3M	164	58	158	427	10.2	3PzB165	165	61	157.5	428	11.5
VSDH4N	208	81	158	427	13.6	5PzB210	210	93	157.5	358	14.5
						4PzB220	220	77	157.5	428	14.6
VSH160A	160	90	158	427	12.5	5PzB160	160	93	157.5	292	11.3
						3PzB165	165	61	157.5	428	11.5
VSDH250	250	90	158	427	15.8	4PzB168	168	77	157.5	358	11.9
						6PzB252	252	109	157.5	358	17.1
VSDH390L	390	148	158	412	23.0	5PzB275	275	93	157.5	428	17.8
						7PzB385	385	125	157.5	428	24.0
VSDH450L	450	148	158	412	24.6	8PzB440	440	141	157.5	428	27.2
VSDH480M	480	161	158	427	27.7	9PzB495	495	157	157.5	428	30.3
VSDH480L	480	186	158	412	29.3	9PzB495	495	157	157.5	428	30.3
VSDH9	490	186	158	427	29.7	9PzB495	495	157	157.5	428	30.3
VSDH560	560	186	158	427	33.0	10PzB550	550	173	157.5	428	33.3

新神戸

EnerSys

型式	容量 5時間率	外形寸法(mm)			重量 (kg)	型式	容量 5時間率	外形寸法(mm)			重量 (kg)
		長さ	幅	総高さ				長さ	幅	総高さ	
		L	W	H				L	W	H	
VSDX165MH	165	58	58	442	10.8	3PzB165	165	61	157.5	428	11.5
VSDX330	330	128	128	427	20.9	6PzB330	330	109	157.5	428	20.9
VSDX360	360	128	128	427	22.6	7PzB385	385	125	157.5	428	24.0
VSDX330M	330	144	144	427	22.2	6PzB330	330	109	157.5	428	20.9
VSDX400M	400	144	144	427	24.0	8PzJB435	435	141	158.0	420	24.4
VSDX470M	470	144	144	427	25.7	8PzB440	440	141	157.5	428	27.2
VSDX485MH	485	144	144	442	26.0	9PzB495	495	157	157.5	428	30.3
VSDX450M	450	161	161	427	26.9	9PzB495	495	157	157.5	428	30.3
VSDX540M	540	161	161	427	28.7	8PzB440	440	141	157.5	428	27.2
VSDX545MH	545	161	161	442	29.2	9PzJB475	475	157	158.0	420	27.2
VSDX560M	560	177	177	427	30.1	9PzB495	495	157	157.5	428	30.3
VSDX565MH	565	177	177	442	30.5	10PzJB540	540	173	158.0	420	29.9
VSD600MH	600	177	177	442	32.2	10PzB550	550	173	157.5	428	33.3
VSDX620	620	186	186	427	34.6	10PzB550	550	173	157.5	428	33.3
						10PzB550	550	173	157.5	428	33.3
						10PzB550	550	173	157.5	428	33.3
						9PzB585	585	157	157.5	484	35.0
						9PzB585	585	157	157.5	484	35.0
						10PzB650	650	173	157.5	484	38.5
						10PzB650	650	173	157.5	484	38.5

VSFL201M	201	58	158	522	12.6	3PzB195	195	61	157.5	484	13.2
						3PzJB210	210	61	158.0	523	13.0
						3PzB225	225	61	157.5	541	14.9
VSFL268M	268	75	158	522	16.3	4PzB260	260	77	157.5	484	16.8
						4PzB300A	300	70	157.5	519	17.3
VSFL210A	210	90	158	522	15.6	3PzJB210	210	61	158.0	523	13.0
						5PzB210	210	93	157.5	358	14.5
						4PzB220	220	77	157.5	428	14.6
						3PzB225	225	61	157.5	541	14.9
						4PzB300A	300	70	157.5	519	17.3
VSFL280	280	90	158	522	17.6	5PzB325	325	93	157.5	484	20.5
VSFL320	320	90	158	522	19.7	5PzJB355	355	89	158.0	523	20.2
VSFL5	335	109	158	522	21.2	6PzB330	330	109	157.5	428	20.9
						5PzJB355	355	89	158.0	523	20.2
VSFL390	390	109	158	522	23.5	6PzB390	390	109	157.5	484	24.1
VSFL6	402	109	158	522	25.0	6PzB390	390	109	157.5	484	24.1
						5PzJB420	420	109	158.0	523	23.9
VSFL545	545	148	158	522	30.8	8PzB520	520	141	157.5	484	31.4
						10PzB550	550	173	157.5	428	33.3
						8PzB600	600	141	157.5	541	35.6

型式	容量 5時間率	外形寸法(mm)			重量 (kg)	型式	容量 5時間率	外形寸法(mm)			重量 (kg)
		長さ	幅	総高さ				長さ	幅	総高さ	
		L	W	H				L	W	H	
VSIL220ML	220	58	158	522	13.2	3PzJB210	210	61	158.0	523	13.0
						4PzB220	220	77	157.5	428	14.6
						3PzB225	225	61	157.5	541	14.9
VSIL300NL	300	81	158	522	17.5	4PzB300A	300	70	157.5	519	17.3
VSIL445L	445	109	158	522	24.3	7PzB455	455	125	157.5	484	27.7
VSIL515L	515	128	158	522	28.2	6PzB450	450	109	157.5	541	27.3
						8PzB520	520	141	157.5	484	31.4
						7PzB525	525	125	157.5	541	31.4
VSIL545ML	545	144	158	522	31.9	10PzB550	550	173	157.5	428	33.3
						8PzB520	520	141	157.5	484	31.4
						8PzB600	600	141	157.5	541	35.6
VSIL730ML	730	177	158	522	39.5	10PzB750	750	173	157.5	541	43.7

VSIL225M	225	58	158	522	13.6	3PzB225	225	61	157.5	541	14.9
VSIL288M	288	75	158	522	17.5	4PzB260	260	77	157.5	484	16.8
						4PzJB290	290	77	158.0	523	16.6
						4PzB300A	300	70	157.5	519	17.3
VSIL280M	280	81	158	522	18.2	4PzJB290	290	77	158.0	523	16.6
						4PzB300A	300	70	157.5	519	17.3
						5PzB325	325	93	157.5	484	20.5
VSIL4	312	90	158	522	19.1	5PzJB355	355	89	158.0	523	20.2
						6PzB390	390	109	157.5	484	24.1
VSIL370	370	90	158	522	21.3	5PzB375	375	93	157.5	541	23.1
						6PPzB450	450	109	157.5	541	27.3
VSIL435	435	109	158	552	25.1	7PzB455	455	125	157.5	484	27.7
VSIL6	468	128	158	552	27.0	7PzB525	525	125	157.5	541	31.4
						7PzB525	525	125	157.5	541	31.4
VSIL510	510	128	158	552	29.2	7PzB525	525	125	157.5	541	31.4
VSIL7	536	148	158	552	31.1	8PzB520	520	141	157.5	484	31.4
						7PzB525	525	125	157.5	541	31.4
						8PzB600	600	141	157.5	541	31.4
VSIL580	580	148	158	552	33.3	8PzB600	600	141	157.5	541	35.6
VSIL8	612	167	158	552	35.0	10PzB650	650	173	157.5	484	38.5
						8PzB600	600	141	157.5	541	35.6
						9PzB675	675	157	157.5	541	39.5
VSIL9	702	186	158	552	39.4	9PzB675	675	157	157.5	541	39.5
						10PzB750	750	173	157.5	541	43.7

新神戸

EnerSys

型式	容量 5時間率	外形寸法(mm)			重量 (kg)	型式	容量 5時間率	外形寸法(mm)			重量 (kg)
		長さ	幅	総高さ				長さ	幅	総高さ	
		L	W	H				L	W	H	
VSI240M	240	58	158	552	14.2	3PzB225	225	61	157.5	541	14.9
						3PzB255	255	61	157.5	597	17.0
						4PzB260	260	77	157.5	484	16.8
VSI340M	340	81	158	552	18.6	5PzB325	325	93	157.5	484	20.5
						4PzB340	375	93	157.5	541	23.1
						5PzJB355	355	89	158.0	523	20.2
						5PzB375	375	93	157.5	541	23.1
VSI470	470	109	158	552	25.8	6PzB450	450	109	157.5	541	27.3
						7PzB455	455	125	157.5	484	27.7
						6PzB510	510	109	157.5	597	30.9
VSI565	565	128	158	552	30.1	7PzB525	525	125	157.5	541	31.4
						9PzB585	585	157	157.5	484	35.0
						7PzB595	595	125	157.5	597	35.6
VSI645	645	148	158	552	34.2	10PzB650	650	173	157.5	484	38.5
						8PzB680	680	141	157.5	597	40.4
VSI725M	725	161	158	552	37.9	10PzB750	750	173	157.5	541	43.7
						9PzB765	765	157	157.5	597	44.8

VCH280M	280	57	158	732	20.4	3PzB300A	300	70	157.5	519	17.3
						3PzB315	315	61	157.5	718	20.4
VCH3	300	70	158	732	20.9	3PzB300A	300	70	157.5	519	17.3
						3PzB315	315	61	157.5	718	20.4
VCH360	360	70	158	732	25.9	4PzB420	420	77	157.5	718	26.1
VCH420	420	89	158	732	31.2	4PzB420	420	77	157.5	718	26.1
VCH5	525	108	158	732	34.5	5PzB525	525	93	157.5	718	31.7
VCH600M	600	113	158	732	37.0	6PzB600	600	109	157.5	642	32.4
VCH700	700	128	158	732	43.0	7PzB700	700	125	157.5	642	37.3
VCH7	735	147	158	732	43.7	7PzB735	735	125	157.5	718	43.0