

適合表

GSユアサ

EnerSys

型式	容量 5時間率	外形寸法(mm)			重量 (kg)	型式	容量 5時間率	外形寸法(mm)			重量 (kg)
		長さ	幅	総高さ				長さ	幅	総高さ	
		L	W	H				L	W	H	
VCA5	170	109	158	311	11.5	6PzB192	192	109	157.5	292	13.2
VCB7	280	144	158	351	17.5	8PzB256	256	141	157.5	292	17.2
						7PzB294	294	125	157.5	358	19.7
VCB8	320	148	158	351	19.0	8PzB336	336	141	157.5	358	22.2
VCB10	400	206	158	351	25.0	8PzB440	440	141	157.5	428	27.2
VCC6	258	128	158	381	16.5	7PzB294	294	125	157.5	358	19.7
VCC8	360	144	158	381	20.0	8PzB336	336	141	157.5	358	22.2
						7PzB385	385	125	157.5	428	24.0
VCC12	516	244	158	381	32.0	10PzB550	550	173	157.5	428	33.3
VCD320	320	128	158	407	18.5	7PzB294	294	125	157.5	358	19.7
						6PzB330	330	109	157.5	428	20.9
VCD360	360	128	158	407	20.5	7PzB385	385	125	157.5	428	24.0
VCD3A	165	60	158	426	10.0	3PzB165	165	61	157.5	428	11.5
VCD4BN	216	94	158	426	13.5	4PzB220	220	77	157.5	428	14.6
VCD5AN	250	94	158	426	15.5	5PzB275	275	93	157.5	428	17.8
VCD7CN	330	144	158	426	20.0	6PzB330	330	109	157.5	428	20.9
						8PzB336	336	141	157.5	358	22.2
VCD8AC	400	144	158	426	24.0	7PzB385	385	125	157.5	428	24.0
						8PzJB435	435	141	158.0	420	24.4
						8PzB440	440	141	157.5	428	27.2
VCD9AC	450	161	158	426	26.5	8PzB440	440	141	157.5	428	27.2
						9PzB495	495	157	157.5	428	30.3
VCD10AC	500	177	158	426	29.5	9PzB495	495	157	157.5	428	30.3
						10PzJB540	540	173	158.0	420	29.9
						10PzB550	550	173	157.5	428	33.3

GSユアサ

EnerSys

型式	容量 5時間率	外形寸法(mm)			重量 (kg)	型式	容量 5時間率	外形寸法(mm)			重量 (kg)
		長さ	幅	総高さ				長さ	幅	総高さ	
		L	W	H				L	W	H	
VVCF3A	201	60	158	521	12.5	3PzB195	195	61	157.5	484	13.2
						3PzJB210	210	61	158.0	523	13.0
						3PzB225	225	61	157.5	541	14.9
VCF3C	210	90	158	521	15.0	5PzB210	210	93	157.5	358	14.5
						3PzJB210	210	61	158.0	523	13.0
						4PzB220	220	77	157.5	428	14.6
VCF4N	280	90	158	521	17.0	4PzJB290	290	77	158.0	523	16.6
						4PzB300A	300	67	157.5	519	17.3
VCF320	320	90	158	521	19.5	5PzB325	325	93	157.5	484	20.5
						5PzJB355	355	89	158.0	523	20.2
VCF5N	350	109	158	521	21.0	6PzB330	330	109	157.5	428	20.9
						5PzB375	375	93	157.5	541	23.1
						6PzB390	390	109	157.5	484	24.1
VCF6A	390	109	158	521	23.0	6PzB390	390	109	157.5	484	24.1
VCF8N	545	144	158	521	30.5	8PzB520	520	141	157.5	484	31.4
						7PzB525	525	125	157.5	541	31.4
						9PzB585	585	157	157.5	484	35.0
						8PzB600	600	141	157.5	541	35.6
VCF10A	650	177	158	521	38.0	10PzB650	650	173	157.5	484	38.5

VCI3A	225	60	158	550	13.0	3PzB225	225	61	157.5	541	14.9
VCI3D	220	78	158	550	14.5	3PzB225	225	61	157.5	541	14.9
VCI4A	288	78	158	550	16.5	4PzJB290	290	77	158.0	523	16.6
						4PzB300	300	77	157.5	541	19.0
						4PzB300A	300	70	157.5	519	17.3
VCI4	312	90	158	550	20.0	4PzB300	300	77	157.5	541	19.0
						4PzB300A	300	70	157.5	519	17.3
						5PzB325	325	93	157.5	484	20.5
						5PzJB355	355	89	158.0	523	20.2
VCI7C	476	128	158	550	27.5	7PzB455	455	125	157.5	484	27.7
						7PzB525	525	125	157.5	541	31.4
VCI8	624	161	158	550	34.5	9PzB675	675	157	157.5	541	39.5
VCI9	702	186	158	550	39.5	10PzB750	750	173	157.5	541	43.7
VCI11	858	225	158	550	50.0	11PzB825	825	189	157.5	541	47.8
						10PzB850	850	173	157.5	597	49.7

VCH3A	3300	60	158	731	20.0	3PzB300	300	61	157.5	642	17.7
						3PzB315	315	61	157.5	718	20.4
VCH4S	360	70	158	731	23.0	4PzB400	400	77	157.5	642	22.6
VCH4A	400	78	158	731	25.5	4PzB400	400	77	157.5	642	22.6
VCH5A	500	94	158	731	31.0	5PzB500	500	93	157.5	642	27.5
VCH6A	600	109	158	731	36.5	6PzB600	600	109	157.5	642	32.4
VCH7A	700	128	158	731	42.5	7PzB700	700	125	157.5	642	37.3

GSユアサ

EnerSys

型式	容量 5時間率	外形寸法(mm)			重量 (kg)	型式	容量 5時間率	外形寸法(mm)			重量 (kg)
		長さ	幅	総高さ				長さ	幅	総高さ	
		L	W	H				L	W	H	
VGC225	225	90	158	381	14.0	5PzB210	210	93	157.5	358	14.5
						4PzB220	220	77	157.5	428	14.6
						6PzB252	252	109	157.5	358	17.1
VGC520	520	186	158	381	30.5	10PzB550	550	173	157.5	428	33.3

VGD340	340	109	158	426	19.0	6PzB330	330	109	157.5	428	20.9
VGD415	415	128	158	426	24.0	7PzB385	385	125	157.5	428	24.0
						8PzB440	440	141	157.5	428	27.2
VGD470	470	144	158	426	27.0	8PzB440	440	141	157.5	428	27.2
						9PzB495	495	157	157.5	428	30.3
VGD575	575	177	158	426	33.0	10PzB550	550	173	157.5	428	33.3
						9PzB585	585	157	157.5	484	35.0
VGD620	620	186	158	426	35.5	10PzB650	650	173	157.5	484	38.5

VGD485	485	144	158	441	27.5	8PzB440	440	141	157.5	428	27.2
						9PzB495	495	157	157.5	428	30.3
						8PzB520	520	141	157.5	484	31.4
VGD545	545	161	158	441	30.5	8PzB520	520	141	157.5	484	31.4
						10PzB550	550	173	157.5	428	33.3
						9PzB585	585	157	157.5	484	35.0
VGD565	565	177	158	441	32.0	10PzB550	550	173	157.5	428	33.3
						9PzB585	585	157	157.5	484	35.0
VGD600	600	177	158	441	33.5	10PzB550	550	173	157.5	428	33.3
						9PzB585	585	157	157.5	484	35.0
						10PzB650	650	173	157.5	484	38.5
VGD700	700	206	158	441	40.0	10PzB650	650	173	157.5	484	38.5
						9PzB675	675	157	157.5	541	39.5
						10PzB750	750	173	157.5	541	43.7

VGE245	245	75	158	478	15.0	4PzB220	220	77	157.5	428	14.6
						4PzB260	260	77	157.5	484	16.8

VGF220	220	60	158	521	13.0	3PzB195	195	61	157.5	484	13.2
						3PzJB210	210	61	158.0	523	13.0
						3PzB225	225	61	157.5	541	14.9
						4PzB260	260	77	157.5	484	16.8

VGF280	280	75	158	543	17.0	4PzJB290	290	77	158.0	523	16.6
						4PzB300A	300	70	157.5	519	17.3

GSユアサ

EnerSys

型式	容量 5時間率	外形寸法(mm)			重量 (kg)	型式	容量 5時間率	外形寸法(mm)			重量 (kg)
		長さ	幅	総高さ				長さ	幅	総高さ	
		L	W	H				L	W	H	
VGF370	370	99	158	521	21.0	5PzB375	375	93	157.5	541	23.1
						6PzB390	390	109	157.5	484	24.1
VGF445	445	109	158	521	24.0	6PzB450	450	109	157.5	541	27.3
						7PzB455	455	125	157.5	484	27.7
VGF530	530	128	158	521	30.5	7PzB525	525	125	157.5	541	31.4
						9PzB585	585	157	157.5	484	35.0
VGF605	605	148	158	521	34.5	9PzB585	585	157	157.5	484	35.0
						8PzB600	600	141	157.5	541	35.6
VGF730	730	177	158	521	42.0	10PzB750	750	173	157.5	541	43.7
						10PzB750	750	173	157.5	541	43.7
VGF785	785	186	158	521	45.0	9PzB765	765	157	157.5	597	44.8
						11PzB825	825	189	157.5	541	47.8
						11PzB825	825	189	157.5	541	47.8
VGF865	865	206	158	521	49.5	10PzB850	850	173	157.5	597	49.7
						11PzB935	935	189	157.5	597	54.4
VGF935	935	225	158	521	53.5	11PzB935	935	189	157.5	597	54.4

VGI240	240	60	158	550	13.5	3PzB225	225	61	157.5	541	14.9
						3PzB255	255	61	157.5	597	17.0
						4PzB300A	300	70	157.5	519	17.3
VGI285	285	69	158	550	16.5	4PzB300A	300	70	157.5	519	17.3
VGI370	370	90	158	550	21.0	5PzB375	375	93	157.5	541	23.1
VGI440	440	109	158	550	25.5	6PzB450	450	109	157.5	541	27.3
VGI470	470	109	158	550	27.5	6PzB450	450	109	157.5	541	27.3
						6PzB510	510	109	157.5	597	30.9
VGI565	565	128	158	550	32.0	7PzB525	525	125	157.5	541	31.4
						7PzB595	595	125	157.5	597	35.6
						8PzB600	600	141	157.5	541	35.6
VGI645	645	148	158	550	36.5	8PzB600	600	141	157.5	541	35.6
						9PzB675	675	157	157.5	541	39.5
						8PzB680	680	141	157.5	597	40.4
VGI725	725	161	158	550	40.0	10PzB750	750	173	157.5	541	43.7
VGI845	845	186	158	550	48.0	11PzB825	825	189	157.5	541	47.8
						10PzB850	850	173	157.5	597	49.7
VGI900C	900	206	158	550	52.0	11PzB935	935	189	157.5	597	54.4
VGI1005	1,005	225	158	550	56.5	11PzB935	935	189	157.5	597	54.4
VGI1080	1,080	244	158	550	60.5	11PzB935	935	189	157.5	597	54.4